

## OPTIFLOR® OS

### Oral Solution

Powerful broad spectrum antibiotic and low bacterial inactivation resistance index



### Formulation

Each 100 mL contains: Florfenicol 10 g, excipients q.s.p. 100 mL.

### Indications

Optiflor® OS is a broad-spectrum antibiotic, developed from thiamphenicol, as an alternative to bacterial resistance and without side effects compared to chloramphenicol. It has a broader spectrum than chloramphenicol and is about 100 times more potent. It acts against gram-positive and gram-negative microorganisms, and even shows a spectrum superior to its analogue, thiamphenicol. Preventive and therapeutic treatment of infections due to *Mannheimia haemolytica*, *Pasteurella multocida*, *Haemophilus* spp., *Streptococcus* spp., *Actinobacillus pleuroneumoniae*, *Bordetella bronchiseptica*, *Escherichia coli*, *Clostridium* spp., *Ornitobacterium rhinotracheale*, *Staphylococcus* spp., *Proteus* spp., *Enterobacter* spp., *Shigella* spp., *Klebsiella* spp, *Lawsonia intracellularis* and *Salmonella choleraesuis* among other bacteria susceptible to florfenicol. Poultry: Colibacillosis, pasteurellosis, sacculitis and bacterial respiratory infections. Colisepticemia among other gastrointestinal diseases caused by susceptible germs. Swine: Porcine respiratory syndrome, pleuropneumonia, atrophic rhinitis; ileitis and gastrointestinal infections caused by susceptible germs.

### Dosage and Administration

Poultry: 20 mg/Kg for 3-5 days, in practice 1L/1000 L water (100 mg/L). Swine: 10-20 mg/Kg for 5 days, in practice 1L-2L/1000 L water (100-200 mg/L).

### Commercial Presentation

Bottle x 250 mL, Bottle x 500 mL, Bottle x 1 L,

### SENASA Registry

Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.  
SENASA Perú: F.82.32.I.0238