

HEMOSTOP® K

Injectable Solution

Antihemorrhagic vasotropic with procoagulant factor



Formulation

Carbazochrome sodium sulfonate 5 mg, Vit. K3 (menadione sodium bisulfite) 10 mg, excipients q.s. ad 1 mL.

Indications

Selective parietal hemostatic agent for damaged vessels and regulator of prothrombin levels. Prevention and treatment of skin, traumatic, ocular, renal or hypoprothrombinemic hemorrhage in pre, trans or post operative stages, in post partum and post abortion, in mucous and intimate membranes, metropathia, hemorrhage, hemoptysis, ecchymosis, deficiency of vitamin K and intoxications with coumarin inhibitors of Vitamin K.

Dosage and Administration

Cattle, goats, sheep, pigs and camelids: 1 mL/10 kg of b.w. in cases of moderate hypoprothrombinemia and 3 mL/10 kg of b.w. in cases of severe hypoprothrombinemia with hemorrhage. Horses: 1 mL/40 kg of b.w. in cases of moderate hypoprothrombinemia and 1 mL/10 kg of b.w. in cases of hypoprothrombinemia with hemorrhage. Dogs and cats: 1 mL/5 kg of b.w. Apply through intramuscular, subcutaneous or intravenous route (this last one has to be diluted).

Commercial Presentation

Bottle x 20 mL, Bottle x 50 mL,

SENASA Registry

SENASA Perú: F.55.01.N.0003



Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.