

ULTRAMETRIN® POUR ON

Topical Solution

Pyrethroid-phosphorous potentialized association



Formulation

Cypermethrin 50 mg, Ethion 150 mg, Piperonyl butoxide 50 mg, excipients q.s. ad 1 mL.

Indications

For the control of horn flies, stable flies, mosquitos, horse flies and ticks. It also controls *Melophagus ovinus*, mites, sucking and biting lice, among others. Its action extends to insects resistant to one of the components separately. Its residual action lasts up to 4 weeks.

Dosage and Administration

Apply in linear form from the withers to the lumbar zone. Cattle: 10 mL/animal. Animals from 100 to 200 kg: 5 mL. For animals of more than 400 kg: 20 mL/animal. Goats, sheep and camelids: up to 45 days post shearing: 5 mL/animal. After 45 days post shearing: 6 to 7 mL/animal. If the animal has long fur, open the fleece and apply directly on the skin. Pigs: 5 mL/animal. Horses: 20 mL/animal, distributing 10 mL in the midline between the withers and the croup, and 5 mL in each flank. In case of severe infestation, the dose can be increased. Apply by epicutaneous route.

Commercial Presentation

Bottle x 500 mL, Bottle x 1 L,

SENASA Registry

SENASA Perú: F.07.03.N.0326



Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.