

## FLUNIQUEST® C500

### Multiuse granules

Anti-inflammatory, antipyretic, antitoxic and non-steroidal analgesic. Specific for visceral and musculoskeletal pain



### Formulation

Each 100 g contain: Flunixin (as flunixin meglumine) 5 g, excipients q.s.ad 100 g.

### Indications

Horses: Relief of inflammation and pain associated with musculoskeletal disorders and relief of visceral pain associated with colic. Fever, infectious diseases together with antibiotherapy. Swine: Relief of fever -mainly associated with swine respiratory disease-, anorexia, pain and endotoxin-induced subclinical symptoms. Inflammation and pain associated with musculoskeletal disorders, tail docking, castration, dehorning, etc. In sows, control of mastitis, metritis and agalactia after parturition.

### Dosage and Administration

Oral route mixed in food. Horses: 1.1 mg/kg of body weight per day. In practice: 1 g of fluniQuest® C500 for every 45 kg of body weight, administered with food; once a day for 3-5 days. The granules are easily administered by spraying a small amount of food. In acute cases, treatment may be administered initially by intravenous or intramuscular injection of flunixin meglumine solution (Flunimine® p.e.), followed by fluniQuest® C500 on days 2 to 5. Treatment should not exceed 5 consecutive days. Swine: 1-2 mg/kg of body weight per day. In practice: 1 Kg per 1 - 2 MT of food. Treat once or twice a day for 5-7 days in a row depending on the case. The dose may be higher in the first treatment or in a severe case.

### Commercial Presentation

Sachet x 100 g, Sachet x 15 g, Bucket by 1 kg, Bucket by 10 kg,

### SENASA Registry

Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.—  
SENASA Perú: F.99.70.I.0118