

## VETONIC® CON NUCLEÓTIDOS

### Oral Solution

Integral biostimulant, growth promoter. Unique with nucleotides



### Formulation

Vit. A (as retinol palmitate) 2 500 000 IU, Vit. D3 (as cholecalciferol) 500 000 IU, Vit. E (as alpha tocopheryl acetate) 3750 mg, Vit. K3 (as menadione sodium bisulfite) 250 mg, Vit. B1 (as thiamine hydrochloride) 3500 mg, Vit. B2 (riboflavin 5 phosphate sodium) 4000 mg, Vit. B3 (as nicotinamide) 10 000 mg, Vit. B5 (as calcium pantothenate) 15 000 mg, Vit. B6 (as pyridoxine hydrochloride) 2000 mg, Vit. B7 (Biotin) 2 mg, Vit. B9 (as folic acid) 250 mg, Vit. B12 (cyanocobalamin) 10 mg, Vit. B15 (sodium pangamate) 1 mg, Vit. BH (as Inositol) 3.0 mg, DL-Methionine 5000 mg, L-Lysine hydrochloride 2500 mg, L-threonine 500 mg, L-tryptophan 75 mg, L-Histidine hydrochloride 900 mg, L-Arginine hydrochloride 490 mg, L- aspartic acid 1450 mg, L-Serine 680 mg, Glutamic acid 1160 mg, L-Proline 510 mg, Glycine 575 mg, L-Alanine 975 mg, L-Cysteine hydrochloride 150 mg, L-Valine 1100 mg, L-Leucine 1150 mg, L-Isoleucine 125 mg, L-Tyrosine 340 mg, L-Phenylalanine 810 mg, Nucleotides 5000 mg, Essential Fatty Acids 500 mg, Sodium Selenite 125 mg, Potassium Iodide 500 mg, Cobalt Gluconate 500 mg, Copper-edetate 200 mg, Manganese-edetate 1000 mg, Zinc edetate 3000 mg, Iron-edetate 210 mg, sodium chloride 10 000 mg, Potassium Chloride 8250 mg, Magnesium Sulfate 455 mg, Citric acid 3000 mg, excipients q.s. ad 1000 mL.

### Indications

Nutritional supplement recommended as growth promoter and as adjuvant in all infectious diseases, poisoning, convalescence, sudden temperature changes, pre and post vaccination, dehydration and anti stress factor.

### Dosage and Administration

From 1 to 2 L/1000 L of water. In direct form (or diluted) in cattle and horses: 20 to 30 mL; calves and colts: 5 to 10 mL; boars and lactating sows: 10 to 20 mL; piglets: 1.5 to 3 mL; sheep, goats and camelids: 3 to 6 mL (half of this in young animals); dogs and cats: 1 to 5 mL (half of this in young animals); rabbits and guinea pigs: 1 to 2 mL per liter of water.



Administer orally. Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.

### Commercial Presentation